





Aquatainer 10L Collapsible

ICRC/IFRC Standard

-  With spigot
-  Safe water storage
-  Easy to carry
-  Impact-resistant



› Key features

- » Collapsible 10L water container with handle for carrying and storing clean drinking water
- » With spigot
- » Impact-resistant
- » Can withstand temperatures between -20°C to +50°C
- » Manufactured food grade low density polyethylene (LDPE) without toxic elements according to EN 1186-3-9 standards

› Dimensions

Capacity	10L minimum
Weight	180 g minimum
Inlet interior diameter	30 mm minimum
Built-in handle	90 x 30 mm (LxW) minimum
String	1 mm diameter and 120 mm long minimum

› Materials

Container	Manufactured food grade LDPE without toxic elements according to EN 1186-3-9 standard
Operating temperature	Can withstand temperatures between -20°C to +50°C
Impact resistance/ drop test	Impact resistant on hard surface when filled with maximum volume of 10L water. Complete drop test consists of 10 consecutive drops from a 2.00 m height. Test result is expressed as a product ranking according to the number of drops passed without damages or leakage. To be accepted, the water container must resist to a minimum of 3 drops
Color	Translucent



Aquatainer 10L Collapsible

ICRC/IFRC Standard



With spigot



Safe water storage



Easy to carry



Impact-resistant

› Packing and shipping

	Without pallets	Customized pallets
Content	50 pcs	12 cartons (600 pcs)
Dimensions	62 x 33 x 42 cm ±20%	128 x 106 x 98 cm ±20%
Weight	12.2 kg ±20%	165 kg ±20%
Volume	0.086 cbm ±20%	1.330 cbm ±20%

› Estimated loadability¹

Containers	Without pallets	Customized pallets
20' GP	333 cartons (16,650 pcs)	16 pallets (9,600 pcs)
40' DC	700 cartons (35,000 pcs)	36 pallets (21,600 pcs)
40' HC	779 cartons (38,950 pcs)	36 pallets (21,600 pcs)

¹ The loadability provided is based on the maximum volume and weight capacity of the containers. This might change due to road weight restrictions in the country of destination. Please contact our sales team for further clarifications.

