


Rex Hall MSU 10.0 x 24 m

Used by ICRC/IFRC/WFP/UNICEF/UNHCR



› Dimensions

Gable door

Total size 4.50 x 4.00 m

Modular frame

- › Aluminium box profiles
- › Hot dipped galvanized steel apex, base plates and other steel components

› Materials

Outer tent	Roof, wall, gable covers: 780 gsm PVC coated polyester, white, UV protected
Ventilators	The gables are fitted with large, high placed ventilation openings with PVC coated mesh. The ventilation openings can be closed from the inside with cover flaps. Each roof panel is fitted with 2 Venturi airflow vents for passive ventilation of humid air collecting under the roof
Doors	Both gable ends are fitted with sliding doors, 450 x 400 cm
Modularity	The length of the shelter can be endlessly extended with 4 m modules

› Packing and shipping

Sr No.	Package name	Pcs	Items	Color	Package type	L (m)	W (m)	H (m)	Kgs approx	m ³
1	A	6	Roof cover (PVC 780 GSM)	White	Wooden box	1.13	0.80	1.27	628.3	0.94
		4	Gable cover with sliding door left & right (PVC 780 GSM)	White						
			Gate cover left & right (PVC 780 GSM)							
2	B	7	Roof apex HDG		Wooden box	1.13	0.80	0.58	475	0.524
		14	Base plate, Adjustable HDG							
		4	Gable base plate, Adjustable HDG							
		8	Counter bracing belts for wall	Green						
			Counter bracing belts for roof	Yellow						
		36	Ground spikes 20 x 1000 mm HDG							
			Bolts & nuts							
			1x Spike puller tool							
		1	Tension bar tool HDG							
		2	Polyester rope 25 x 30 m	White						
		1	Tool kit							
			Repair kit							
			Spade							
Assembly manual										
Sledge Hammer										
Spike puller										
	PP rope 3 x 100 m	Black								

Rex Hall MSU 10.0 x 24 m

Used by ICRC/IFRC/WFP/UNICEF/UNHCR



Fire retardant



Waterproof



Rot-proof



UV stabilized



Logo customizable

› Packing and shipping

Sr No.	Package name	Pcs	Items	Color	Package type	L (m)	W (m)	H (m)	Kgs approx	m ³
3	C1/4	14	Half truss + 12 wall tension bars		Loose	5.20	0.32	0.47	390	0.78
4	C2/4	18	Purlins with Steel Part			3.95	0.39	0.17	124	0.26
6	C4/4	4	Gable columns with Steel Part			4.50	0.12	0.23	72	0.12
		1	Lifting fork for purlins							
7	D	14	Wall elements (Connectors prefitted with wall elements)		Wooden Pallet	3.65	0.54	0.50	330	0.99
8	E	2	Gate assembly kit with Steel Part		Loose	4.37	0.31	0.25	96	0.34
			Gable tension bar right							
			Gable tension bar left							
9	F	1	Ladder		Wooden box	5	0.40	0.08	15	0.14
10	G		Lighting kit 150 lux			1.13	0.40	0.58	58	0.26
11	H		Ballast anchor set			0.70	0.55	0.58	58	0.26
Total gross weight and volume									2,252	4.97

› Estimated loadability¹

Containers	Number of units
20' GP	6
40' GP	12
40' HC	12

¹ The loadability provided is based on the maximum volume and weight capacity of the containers. This might change due to road weight restrictions in the country of destination. Please contact our sales team for further clarifications.